

Enterprise-Grade Collaboration Tools for Your Workforce







Logitech, a world leader in products that connect people to the digital experiences they care about, offers a range of brilliantly designed collaboration tools that are so intuitive, people actually love to use them.

Professional webcams, ConferenceCams, and a PTZ Pro Camera that bring true-to-life HD-quality video to collaboration, plus USB headsets and the Speakerphone P710e that deliver enterprise-grade audio with user-centric features.




Logitech helps businesses unleash productivity and collaboration — from the desktop to the conference room — with tools that adapt to the way people work and not the other way around.

The Logitech Collaboration Portfolio

Webcams for Face-to-Face Collaboration

	DESCRIPTION	KEY FEATURES
 <p>Webcam C930e Part No.: 960-000971 MSRP: \$129.99</p>	The most advanced business webcam yet, features the widest field-of-view and is the first to support H.264/SVC video compression for optimized video processing.	<p>Compatibility: Compatible with all leading UC platforms. Certified for Skype for Business, Optimized for Lync, Skype® certified, Cisco® compatible!</p> <p>HD Resolution: Full HD 1080p @ 30 fps</p> <p>Field of View: 90°</p> <p>Microphone: Built-in dual stereo mics with automatic noise reduction</p> <p>Dimensions & Weight: 94 x 43 x 71 mm; 3.7 x 1.7 x 2.8 in; 162 g/5.7 oz.</p>
 <p>Webcam C920-C Part No.: 960-000945 MSRP: \$119.99</p>	Designed exclusively for Cisco, this professional HD webcam seamlessly integrates with Cisco solutions to bring face-to-face communication to the collaboration experience.	<p>Compatibility: Cisco® compatible!</p> <p>HD Resolution: Full HD 1080p @ 30 fps</p> <p>Field of View: 78°</p> <p>Microphone: Built-in dual stereo mics with automatic noise reduction</p> <p>Dimensions & Weight: 96 x 34 x 80 mm; 3.78 x 1.34 x 3.15 in (incl. clip); 80 g/2.82 oz.</p>
 <p>B910 HD Webcam Part No.: 960-000683 MSRP: \$74.99</p>	Perfect for high-quality individual desktop videoconferencing. Meet face-to-face without leaving the desk.	<p>Compatibility: Compatible with all leading UC platforms. Certified for Skype for Business, Optimized for Lync, Skype® certified, Cisco® compatible!</p> <p>HD Resolution: HD 720p @ 30 fps</p> <p>Field of View: 78°</p> <p>Microphone: Stereo wideband audio with 2 omnidirectional microphones</p> <p>Dimensions & Weight: 96 x 34 x 80 mm; 3.78 x 1.34 x 3.15 in (incl. clip); 80 g/2.82 oz.</p>
 <p>B525 HD Webcam Part No.: 960-000841 MSRP: \$59.99</p>	Ideal for individual mobile videoconferencing with a compact, foldable 360-degree swivel design.	<p>Compatibility: Compatible with all leading UC platforms. Certified for Skype for Business, Optimized for Lync, Skype® certified, Cisco® compatible!</p> <p>HD Resolution: HD 720p @ 30 fps</p> <p>Field of View: 69°</p> <p>Microphone: 1 omnidirectional microphone</p> <p>Dimensions & Weight: 68.5 x 29 x 40.4 mm; 2.7 x 1.14 x 1.59 in (incl. clip); 88 g/3.10 oz.</p>


ConferenceCams for Group Video Conferencing

	DESCRIPTION	KEY FEATURES
 <p>BCC950 ConferenceCam Part No.: 960-000866 MSRP: \$249.99</p>	The Logitech ConferenceCam BCC950 is an all-in-one videoconference solution with HD 1080p video and professional audio for small group collaboration.	<p>Compatibility: Compatible with most business-grade UC platforms. Certified for Skype for Business, Optimized for Lync, Skype® certified, Cisco Jabber® and WebEx® compatible</p> <p>HD Resolution: 1080p @ 30 frames per second</p> <p>Field of View: 78° FOV, 180° pan and 55° tilt</p> <p>Speakerphone and Mic: Built-in dual stereo mics with automatic noise reduction</p> <p>Controls: Remote control and on-device controls for pan, tilt, zoom, call answer/hang up², volume up/down, and mute</p> <p>Connectivity: USB plug-and-play - works with Macs and PCs</p> <p>Dimensions & Weight: 154 x 345 x 147 mm; 6.1 x 13.6 x 5.8 in (with height extender); 568 g/20.03 oz. Remote: 118.1 mm x 19.2 mm x 48.8 mm; 46.46 x 7.48 x 19.29 in; 47 g / 1.7 oz.</p>
 <p>ConferenceCam Connect Part No.: 960-001013 MSRP: \$499.99</p>	Portable all-in-one design delivers affordable enterprise-quality videoconferencing to virtually any workspace. Brilliantly designed, easy to transport, and easy to set up.	<p>Compatibility: Compatible with most business-grade UC platforms. Certified for Skype for Business, Optimized for Lync, Skype® certified, Cisco Jabber® and WebEx® compatible</p> <p>HD Resolution: 1080p @ 30 frames per second</p> <p>Field of View: 90° FOV, digital pan/tilt and mechanical tilt wheel</p> <p>Speakerphone and Mic: Integrated full duplex speakerphone with echo and noise cancellation. Two omni-directional microphones support 12-ft. diameter range</p> <p>Controls: Dockable remote control for camera/speakerphone functions. 10-ft range remote control.</p> <p>Connectivity: USB plug-and-play, <i>Bluetooth</i>® wireless technology and Near Field Communication (NFC) technology</p> <p>Dimensions & Weight: 75 x 75 x 304.2 mm; 2.95 x 2.95 x 11.98 in; 766 g/27.01 oz. Remote: 41 mm x 128 mm x 9 mm; 1.6 x 5 x .35 in; 35 g / 1.2 oz. USB cable: 2 meters (78.74")</p>
 <p>ConferenceCam CC3000e Part No.: 960-000982 MSRP: \$999.99</p>	Workgroups of 6-10 people can experience the productivity benefits of crystal-clear face-to-face communication with the ConferenceCam CC3000e.	<p>Compatibility: Compatible with most business-grade UC platforms. Certified for Skype for Business, Optimized for Lync, Skype® certified, Cisco Jabber® and WebEx® compatible.</p> <p>HD Resolution: 1080p @ 30 frames per second</p> <p>Field of View: 90° FOV, 260° pan and 130° tilt with a 10x lossless zoom</p> <p>Speakerphone and Mic: Built-in dual stereo mics with automatic noise reduction</p> <p>Controls: Dockable remote control and on-device touch controls for pan, tilt, zoom, call answer/hang up², volume up/down, mute, <i>Bluetooth</i>® pairing, far-end control⁴ and camera preset plus a LCD display.</p> <p>Connectivity: USB plug-and-play and <i>Bluetooth</i>® audio connectivity with NFC pairing</p> <p>Dimensions & Weight: Camera: 130 x 130 x 150 mm; 5.12 x 5.12 x 5.91 in; 590 g / 20.81 oz. Speakerphone: 240 x 240 x 68 mm; 9.45 x 9.45 x 2.68 in; 810 g / 28.57 oz. Remote: 50 mm x 120 mm x 9.8 mm; 1.97 x 4.72 x .36 in; 48 g / 1.69 oz. Hub: 95 x 74 x 34 mm; 3.74 x 2.91 x 1.34 in; 50 g / 1.76 oz.</p>

Enterprise-Grade Audio for Distraction-Free Communication

	DESCRIPTION	KEY FEATURES
 <p>Wireless Headset H820e Dual Part No.: 981-000516 MSRP: \$199.99 Mono Part No.: 981-000511 MSRP: \$179.99</p>	<p>Enterprise-grade DECT wireless headset. In-call LED light, on-boom mute button and LED mute indicator light.</p>	<p>Compatibility: Compatible with all leading UC platforms. Certified for Skype for Business, Optimized for Microsoft® Lync® and Cisco® compatible¹.</p>
		<p>Wearing Style: Available in mono and dual styles; padded and adjustable headband, padded earpiece(s)</p>
		<p>Range: More than 300-ft. (up to 100m)</p>
		<p>Battery Life/Talk Time: Up to 10 hours of wideband talk time. Charging base included.</p>
		<p>Audio Controls: On-ear answer/end², volume up/down buttons, on-boom mute button and indicator light</p>
		<p>Dimensions & Weight: 174 x 165 x 50 mm; 6.75 x 6.5 x 2 in; <u>Dual</u> 128 g/4.5 oz; <u>Mono</u> 88 g/3.1 oz.</p>
 <p>USB Headset H650e Stereo Part No.: 981-000518 MSRP: \$89.99 Mono Part No.: 981-000513 MSRP: \$79.99</p>	<p>Delivers DSP enterprise-quality audio and user-friendly features like a clever in-call LED light that minimizes interruptions.</p>	<p>Compatibility: Compatible with all leading UC platforms. Certified for Skype for Business, Optimized for Microsoft® Lync® and Cisco® compatible¹.</p>
		<p>Wearing Style: Available in mono and stereo styles; padded and adjustable headband, padded earpiece(s)</p>
		<p>Range: 7.16-ft. (2.2 m) cable</p>
		<p>Battery Life/Talk Time: Unlimited (USB wired connectivity provides constant power)</p>
		<p>Audio Controls: Quick access in-line controller for call answer/end², volume up/down and mute button</p>
		<p>Dimensions & Weight: 174 x 165 x 50 mm; 6.75 x 6.5 x 2 in; <u>Stereo</u> 120 g/4.2 oz; <u>Mono</u> 93 g/3.3 oz.</p>
 <p>USB Headset H570e Stereo Part No.: 981-000574 MSRP: \$49.99 Mono Part No.: 981-000570 MSRP: \$44.99</p>	<p>Clear, comfortable and stylish enterprise-quality communication for any budget.</p>	<p>Compatibility: Compatible with all leading UC platforms. Certified for Skype for Business, Optimized for Microsoft® Lync®, Skype® certified, Cisco® compatible¹.</p>
		<p>Wearing Style: Available in mono and stereo styles; padded and adjustable headband, padded earpiece(s)</p>
		<p>Range: 6.9-ft. (2.1 m) cable</p>
		<p>Battery Life/Talk Time: Unlimited (USB wired connectivity provides constant power)</p>
		<p>Audio Controls: Quick access in-line controller for call answer/end², volume up/down and mute button</p>
		<p>Dimensions & Weight: 180 x 200 x 60 mm; 7.09 x 7.87 x 2.36 in; <u>Stereo</u> 219 g/7.73 oz; <u>Mono</u> 194 g/6.84 oz.</p>
 <p>Mobile Speakerphone P710e Part No.: 980-000741 MSRP: \$169.99</p>	<p>Transform any workspace into an instant conference room. Delivers DSP enterprise-quality audio, portability, and second-screen flexibility with an integrated mobile device stand.</p>	<p>Compatibility: Compatible with all leading UC platforms. Certified for Skype for Business, Optimized for Microsoft® Lync®, Skype® certified, Cisco® compatible¹.</p>
		<p>Connectivity: USB and <i>Bluetooth</i>® with NFC technology</p>
		<p>Device Stand: Positions a mobile phone or tablet at just the right angle for shake-free video calls.</p>
		<p>Battery Life/Talk Time: Up to 15 hours</p>
		<p>Audio Controls: Touch controls for answer/end, volume up/down, mute</p>
		<p>Dimensions & Weight: 120 x 120 x 40 mm; 4.75 x 4.75 x 1.5 in; 275 g/9.7 oz.</p>

PTZ Camera for Professional Video

	DESCRIPTION	KEY FEATURES
 <p>PTZ Pro Camera Part #: 960-001021 MSRP: \$799.99</p>	<p>Premium USB-enabled HD 1080p PTZ video camera for use in conference rooms, training environments, large events, and other professional video uses.</p>	<p>Compatibility: Compatible with most business-grade UC platforms. Certified for Skype for Business, Optimized for Lync, Skype® certified, Cisco Jabber® and WebEx® compatible</p>
		<p>HD Resolution: Full HD 1080p @ 30 fps</p>
		<p>Optics: 90° diagonal FOV, 260° pan / 130° tilt, 10x lossless zoom</p>
		<p>Remote Control: Pan/tilt/zoom⁴, far-end control⁵, camera presets</p>
		<p>Connectivity: USB</p>
		<p>Dimensions & Weight: <u>Camera:</u> 130 x 130 x 150 mm (5.1 x 5.1 x 5.9") / 590 g (20.8 oz); <u>Remote:</u> 50 x 120 x 9.8 mm (1.97 x 4.72 x 0.36") / 48 g (1.7 oz)</p>

Designed for the **ANYWHERE** WORKPLACE



Are you an enterprise deploying Skype for Business, Microsoft® Lync® or Cisco Jabber®?
You may qualify for a Logitech UC product trial.

Apply at www.logitech.com/skypeforbusiness or www.logitech.com/cisco
Learn more at: www.logitech.com/uc

To order, contact your reseller or call us at **800-308-8666**

Logitech Inc. 7700 Gateway Blvd. Newark, CA 94560

¹ See www.logitech.com/ciscocompatibility for the latest version

² With Skype for Business, and Cisco® deployments¹. Works with Skype® using plug-in (select the appropriate product and download at www.logitech.com/support/business-products).

³ With Skype for Business, Skype®, Cisco Jabber® and Vidyo® deployments

⁴ With Skype for Business, and Vidyo® deployments; Lync requires plug-in download

⁵ Supported video modes vary by application.

⁶ With Skype for Business, Skype®, and Cisco Jabber®.

⁷ With Skype for Business deployments; requires plug-in download.