



Ultrathin Keyboard Cover i5  
超薄键盘盖 i5




Setup Guide | 设置指南

## Contents




<a href="#">English</a>	<a href="#">3</a>	<a href="#">简体中文</a>	<a href="#">11</a>
<a href="http://www.logitech.com/support">www.logitech.com/support</a>			<a href="#">19</a>

## Know your product




- |  |                              |
|--|------------------------------|
| 1. Protective cover                    | 6. Bluetooth connect button  |
| 2. iPad holder                         | 7. On/Off switch             |
| 3. Keyboard                            | 8. Micro-USB charging port   |
| 4. Function keys                       | 9. Documentation             |
| 5. Bluetooth® and battery status light | 10. Micro-USB charging cable |

## Set up your product



1. Turn on the Keyboard Cover:
  - Bluetooth discovery starts automatically and continues for 15 minutes. The Status light blinks blue.
  - If the Status light briefly turns red, charge the batteries. For more information, see "Charge the batteries."
2. Make sure your iPad's Bluetooth feature is on. Select Settings > Bluetooth > On.
3. Select "Ultrathin Keyboard Cover i5" on the iPad's Devices menu. Bluetooth connection completed.
4. Place the iPad on the Keyboard Cover.

## Charge the keyboard battery



1. Plug one end of the micro-USB cable into the charging port, and the other end into a USB port on your computer.

Alternatively, you can use a 5V USB charger, such as that provided with your iPad, providing the power output rating is at least 500mA.

The status light blinks green as the battery charges.

2. Charge the battery until the Status light turns solid green.

### Battery information:

- A fully charged battery provides about 3 months of power when the Keyboard Cover is used about two hours a day.
- Charge the battery when the Status light briefly turns red after the Keyboard Cover turns on.
- When not in use, turn off the Keyboard Cover to conserve battery power.
- The Keyboard Cover enters sleep mode if powered on and not used. To exit sleep mode, press any key.

## Function keys

-  **Home = iPad Home screen**
-  **Fn + 1 = Lock screen**  
Locks or unlocks the iPad screen
-  **Fn + 2 = Siri**  
Use your voice to send messages, make calls, schedule meetings, and more
-  **Fn + 3 = Search**  
Launches the iPad search function
-  **Fn + 4 = Switch applications**
-  **Fn + 5 = Virtual keyboard**  
Shows/hides the virtual keyboard
-  **Fn + 7 = Previous track**
-  **Fn + 8 = Play/Pause**
-  **Fn + 9 = Next track**
-  **Fn + 0 = Mute**

 **Fn + dash = Volume down**

 **Fn + plus = Volume up**

 **Fn + X = Cut**

 **Fn + C = Copy**

 **Fn + V = Paste**

 **Fn + Left cursor = Select left**  
Selects text on the left,  
word by word

 **Fn + Right cursor = Select right**  
Selects text on the right,  
word by word

 **Switch language**


Note: To select a function key, press and hold the Fn key, and then press the key indicated above.

## Use your product

### Status light indications


Light	Description
Blinking green	The battery is charging.
Solid green	The battery is fully charged (100%).
Red	Battery power is low (less than 10%). Recharge the battery.
Blinking blue	Fast: The keyboard cover is in discovery mode, ready for pairing. Slow: The keyboard cover is trying to reconnect to your iPad mini.
Solid blue	Bluetooth pairing or reconnection is successful.

### Storing the iPad for travel



1. Lift the iPad from the Keyboard Cover.
2. Rotate the iPad, with the screen side down, so the Home button is on the right.
3. Place the iPad on to the Keyboard Cover. A magnetic clip holds the iPad in position.

## Connecting to a different iPad




1. Make sure the Keyboard Cover is turned on.
2. Check that your iPad's Bluetooth feature is on. Select Settings > Bluetooth > On.
3. Press the Bluetooth Connect Button. The Keyboard Cover is discoverable for 3 min.
4. Select "Ultrathin Keyboard Cover i5" on the iPad's Devices menu. Bluetooth connection completed.
5. Place the new iPad on the Keyboard Cover.

## Troubleshooting

### The Keyboard Cover does not work

- Press any key to wake the Keyboard Cover from sleep mode.
- Turn the Keyboard Cover Off and then back On.
- Recharge the internal batteries. For more information, refer to "Charge the batteries."
- Re-establish the Bluetooth connection between the Keyboard Cover and iPad:
  - Verify that iPad's Bluetooth feature is turned on.
  - Choose "Ultrathin Keyboard Cover i5" from the Devices menu on your iPad. The Status light briefly turns blue after the Bluetooth connection is made.

## Battery disposal at product end of life



1. Pry off top cover of keyboard with screwdriver.
2. Detach battery from circuit board and remove battery.

3. Dispose of your product and its battery according to local laws.

## Visit Product Central

There's more information and support online for your product. Take a moment to visit Product Central to learn more about your new Keyboard Cover.

Browse online articles for setup help, usage tips, or information about additional features.


Connect with other users in our Community Forums to get advice, ask questions, and share solutions.

At Product Central, you'll find a wide selection of content:

- Tutorials
- Troubleshooting
- Support community
- Software downloads
- Online documentation
- Warranty information
- Spare parts (when available)




Go to [www.logitech.com/support/ultrathin-keyboard-cover-i5](http://www.logitech.com/support/ultrathin-keyboard-cover-i5)

## 了解您的产品



- |                 |                  |
|-----------------|------------------|
| 1. 保护盖          | 6. 蓝牙连接按钮        |
| 2. iPad 支架      | 7. On/Off 开关     |
| 3. 键盘           | 8. 微型 USB 充电端口   |
| 4. 功能键          | 9. 文档            |
| 5. 蓝牙® 和电池状态指示灯 | 10. 微型 USB 充电连接线 |

## 设置您的产品



### 1. 打开键盘盖:

- 蓝牙搜索功能自动开启，将持续 15 分钟。状态指示灯将闪烁蓝灯。
- 如果状态指示灯短暂变为红灯，请为电池充电。有关详细信息，请参见“为电池充电”。


### 2. 确保您 iPad 的蓝牙功能已开启。

依次选择：设置 > 蓝牙 > 开启。

### 3. 在 iPad 设备菜单上选择“Ultrathin Keyboard Cover i5”（超薄键盘盖 i5）。蓝牙连接完成。

### 4. 将 iPad 放置于键盘盖上。

## 为键盘电池充电



1. 将微型 USB 连接线的一端插入充电端口，将另一端插入电脑上的 USB 端口。

或者，您也可以使用 5V USB 充电器（如 iPad mini 随附的充电器）进行充电，前提是电源输出功率至少为 500mA。

电池充电过程中，状态指示灯将闪烁绿灯。

2. 为电池充电，直到状态指示灯变为稳定的绿灯为止。

### 电池信息：

- 电池充满电之后，如果键盘盖每天使用约两个小时，则电量可以维持三个月。
- 如果开启键盘之后，状态指示灯短暂亮起红灯，请为电池充电。
- 不使用时，请关闭键盘盖，节省电池电量。
- 如果键盘盖处于开启状态而未使用，则会进入休眠模式。按任意键退出休眠模式。

## 功能键

-  **Home = iPad 主屏幕**
-  **Fn + 1 = 锁屏**  
锁定或解锁 iPad 屏幕
-  **Fn + 2 = Siri**  
通过语音发送消息、拨打电话、安排会议等
-  **Fn + 3 = 搜索**  
启动 iPad 搜索功能
-  **Fn + 4 = 切换应用程序**
-  **Fn + 5 = 虚拟键盘**  
显示/隐藏虚拟键盘
-  **Fn + 7 = 上一曲目**
-  **Fn + 8 = 播放/暂停**
-  **Fn + 9 = 下一曲目**
-  **Fn + 0 = 静音**
-  **Fn + 减号 = 调低音量**
-  **Fn + 加号 = 调高音量**
-  **Fn + X = 剪切**
-  **Fn + C = 复制**
-  **Fn + V = 粘贴**
-  **Fn + 左光标 = 选择左侧内容**  
逐字选择左侧文本
-  **Fn + 右光标 = 选择右侧内容**  
逐字选择右侧文本
-  **切换语言**


注意：要选择功能键，请按住 Fn 键，然后按上方显示的键。

## 使用您的产品

### 状态指示灯


指示灯	说明
闪烁绿灯	电池正在充电。
稳定绿灯	电池已充满 (100%)。
红灯	电量不足 (< 10%)。为电池充电。
闪烁蓝灯	快速： 键盘盖处于可被搜索状态，已准备好可以进行配对。 缓慢： 键盘盖正在尝试重新连接 iPad mini。
稳定蓝灯	蓝牙配对或重新连接成功。

### 旅行时收纳 iPad



1. 从键盘盖上移开 iPad。
2. 将 iPad 旋转至屏幕朝下，使 Home 键位于右侧。
3. 将 iPad 放置于键盘盖上。磁力夹将把 iPad 固定到位。

## 连接另一个 iPad



1. 确保键盘盖处于开启状态。
2. 检查并确保您 iPad 的蓝牙功能已开启。  
依次选择：设置 > 蓝牙 > 开启。
3. 按下蓝牙连接按钮。键盘盖在三分钟内将处于可被搜索状态。
4. 在 iPad 设备菜单上选择  
“Ultrathin Keyboard Cover i5”  
(超薄键盘盖 i5)。蓝牙连接完成。
5. 将新的 iPad 放置于键盘盖上。


## 疑难解答

### 键盘盖不工作

- 按任意键即可将键盘盖从休眠模式中唤醒。
- 将键盘盖关闭，然后再将其重新开启。
- 为内置电池充电。有关详细信息，请参见“为电池充电”。
- 在键盘盖与 iPad 之间重新建立蓝牙连接。
  - 确保 iPad 的蓝牙功能已开启。

在 iPad 的“设备”菜单上选择  
“Ultrathin Keyboard Cover i5”  
(超薄键盘盖 i5)。蓝牙连接成功后，  
状态指示灯短暂变为蓝灯。

## 电池废弃处置



1. 用螺丝刀撬开键盘的顶盖。
2. 从电路板上分离电池，取出电池。

3. 根据当地法律对产品和电池进行弃置。

## 访问“产品中心”

我们的网站提供有关于本产品的详细信息和支持服务。请抽时间访问“产品中心”，了解关于新键盘盖的更多信息。

浏览在线文章，查看设置帮助、使用技巧或关于更多功能的信息。

通过“社区论坛”与其他用户交流，获得建议，提出问题，分享解决方法。

“产品中心”提供了广泛的内容选择：

- 教程
- 疑难解答
- 支持社区
- 软件下载
- 在线文档
- 保修信息
- 备用部件（若有供应）

访问 [www.logitech.com/support/ultrathin-keyboard-cover-i5](http://www.logitech.com/support/ultrathin-keyboard-cover-i5)

[www.logitech.com/support/ultrathin-keyboard-cover-i5](http://www.logitech.com/support/ultrathin-keyboard-cover-i5)

Table of Toxic and Hazardous Substances/Elements and their Content

产品中有毒有害物质或元素的名称及含量  
根据中国<<电子信息产品污染控制管理办法>>

Keyboard 键盘						
有毒有害物质或元素						
部件名称	铅 (Pb)	汞 (Hg)	镉 (Cd)	六价铬 (Cr(VI))	多溴联苯 (PBB)	多溴二苯醚 (PBDE)
电缆 Cable	X	○	○	○	○	○
电路板组件 PWAs	X	○	○	○	○	○
塑料部件 Plastic parts	○	○	○	○	○	○
薄膜 Membrane	○	○	○	○	○	○
金属部件 Metal parts	X	○	○	○	○	○
橡胶圆盖 Rubber dome	○	○	○	○	○	○

○ = 表示该有毒有害物质在该部件所有均质材料中的含量均在 SJ/T11363-2006 标准规定的限量要求以下。  
X = 表示该有毒有害物质至少在该部件的某一均质的含量超出 SJ/T11363-2006 标准规定的限量要求。

表中标有“X”的所有部件都符合欧盟 RoHS 法规

“欧洲议会和欧盟理事会 2003 年 1 月 27 日关于电子电器设备中限制使用某些有害物质的 2002/95/EC 号指令”

注：环保使用期限的参考标取决于产品正常工作的温度和湿度等条件





[www.logitech.com](http://www.logitech.com)

© 2013 Logitech. All rights reserved. Logitech, the Logitech logo, and other Logitech marks are owned by Logitech and may be registered. Apple and iPad are trademarks of Apple Inc., registered in the U.S. and other countries. Bluetooth is a registered trademark of Bluetooth SIG, Inc. All other trademarks are the property of their respective owners. Logitech assumes no responsibility for any errors that may appear in this manual. Information contained herein is subject to change without notice.

版权所有 ©2013 年罗技。罗技、罗技标志、Logitech 和其他罗技商标均归罗技所有，并或已注册。Apple 和 iPad 是 Apple Inc. 在美国和其他国家注册的商标。蓝牙是 Bluetooth SIG, Inc. 的注册商标。所有其它商标均是各自所有者的财产。罗技对于本手册中可能出现的任何错误不承担任何责任。本手册中包含的信息如有更改，恕不事先通知。

621-000207.007