Experience the Difference that Logitech Brings to Cisco® UC Clients and IP Phones



Logitech has partnered with Cisco® to offer a range of Cisco-compatible¹ UC tools that are so intuitive people actually love to use them, enabling enhanced collaboration and productivity.

Logitech is the first and only company to develop a new way to control the Jabber® collaboration experience. The UC Solution for Cisco 725-C fits the ever-shrinking desktop so it's perfect for small workspaces, hot desking and cubicles. The UC keyboard combo brilliantly integrates voice, video and messaging and makes it easy to collaborate while staying productive. The result: a better UC adoption rate within organizations.

Logitech helps unleash Cisco productivity and collaboration with intuitive designs that are good for people and good for business.



Webcams for Face-to-Face Collaboration



	DESCRIPTION	KEY FEATURES
Webcam C930e Part No.: 960-000971 MSRP: \$129.99	The most advanced business webcam yet, features the widest field-of-view and is the first to support H.264/ SVC video compression for optimized video processing.	HD Resolution: 1080p with 30 frames per second
		Field of View: 90°
		Microphone: Built-in dual stereo mics with automatic noise reduction
		Dimensions & Weight: 94 x 43 x 71 mm; 3.7 x 1.7 x 2.8 in; 162 g/5.7 oz.
0	Designed exclusively for Cisco, this professional HD webcam seamlessly integrates with Cisco solutions to bring face-to-face communication to the collaboration experience.	HD Resolution: 1080p with 30 frames per second
		Field of View: 78°
Webcam C920-C Part No.: 960-000945		Microphone: Built-in dual stereo mics with automatic noise reduction
MSRP: \$119.99		Dimensions & Weight: 96 x 34 x 80 mm; 3.78 x 1.34 x 3.15 in (incl. clip); 80 g/2.82 oz
B910 HD Webcam Part No.: 960-000683 MSRP: \$74.99	Perfect for high-quality individual desktop videoconferencing. Meet face-to-face without leaving the desk.	HD Resolution: 720p with 30 frames per second
		Field of View: 78°
		Microphone: Stereo wideband audio with 2 omnidirectional microphones
		Dimensions & Weight: 96 x 34 x 80 mm; 3.78 x 1.34 x 3.15 in (incl. clip); 80 g/2.82 oz

PTZ Camera for Professional Video



	DESCRIPTION	KEY FEATURES
PTZ Pro Camera Part #: 960-001021 MSRP: \$799.99	Premium USB-enabled HD 1080p PTZ video camera for use in conference rooms, training environments, large events, and other professional video uses.	Compatibility: Compatible with most business-grade UC platforms. Certified for Skype for Business, Optimized for Lync, Skype* certified, Cisco Jabber* and WebEx* compatible
		HD Resolution: Full HD 1080p @ 30 fps
		Optics: 90° diagonal FOV, 260° pan / 130° tilt, 10x lossless zoom
		Remote Control: Pan/tilt/zoom ⁴ , far-end control ⁵ , camera presets
		Connectivity: USB
		Dimensions & Weight: Camera: 130 x 130 x 150 mm (5.1 x 5.1 x 5.9") / 590 g (20.8 oz); <u>Remote:</u> 50 x 120 x 9.8 mm (1.97 x 4.72 x 0.36") / 48 g (1.7 oz)

ConferenceCams for Group Video Conferencing



	DESCRIPTION	KEY FEATURES
Ì	The Logitech ConferenceCam BCC950 is an all-in-one videoconference solution with HD 1080p video and professional audio for small group collaboration.	HD Resolution: 1080p @ 30 frames per second
		Field of View: 78° FOV, 180° pan and 55° tilt
		Speakerphone and Mic: Built-in dual stereo mics with automatic noise reduction
		Controls: Remote control and on-device controls for pan, tilt, zoom, call answer/hang up², volume up/down, and mute
BCC950 ConferenceCam		Connectivity: USB plug-and-play – works with Macs and PCs
Part No.: 960-000866 MSRP: \$249.99		Dimensions & Weight: 154 x 345 x 147 mm; 6.1 x 13.6 x 5.8 in (with height extender); 568 g/20.03 oz. Remote: 118.1 mm x 19.2 mm x 48.8 mm; 46.46 x 7.48 x 19.29 in; 47 g/1.7 oz.
		HD Resolution: 1080p @ 30 frames per second
	Portable all-in-one design delivers affordable enterprise-quality videoconferencing to virtually any workspace. Brilliantly designed, easy to transport, and easy to set up.	Field of View: 90° FOV, digital pan/tilt and mechanical tilt wheel
U		Speakerphone and Mic: Integrated full duplex speakerphone with echo and noise cancellation. Two omni-directional microphones support 12-ft. diameter range
		Controls: Dockable remote control for camera/speakerphone functions. 10-ft range remote control.
ConferenceCam Connect		Connectivity: USB plug-and-play, Bluetooth® wireless technology and Near Field Communication (NFC) technology
Part No.: 960-001013 MSRP: \$499.99		Dimensions & Weight: 75 x 75 x 304.2 mm; 2.95 x 2.95 x 11.98 in; 766 g/27.01 oz. Remote: 41 mm x 128 mm x 9 mm; 1.6 x 5 x .35 in; 35g/1.2 oz. USB cable: 2 meters (6' 6 - 47/64")
<u> </u>	Workgroups of 6-10 people can experience the productivity benefits of crystal-clear face-to-face communication with the ConferenceCam CC3000e.	HD Resolution: 1080p @ 30 frames per second
9		Field of View: 90° FOV, 260° pan and 130° tilt with a 10x lossless zoom
		Speakerphone and Mic: Built-in dual stereo mics with automatic noise reduction
ConferenceCam CC3000e Part No: 960-000982 MSRP: \$999.99		Controls: Dockable remote control and on-device touch controls for pan, tilt, zoom, call answer/hang up, volume up/down, mute, Bluetooth* pairing, far-end control and camera preset plus a LCD display.
		Connectivity: USB plug-and-play and Bluetooth* audio connectivity with NFC pairing
		Dimensions & Weight: Camera: 130 x 130 x 150 mm; 5.12 x 5.12 x 5.91 in; 590 g/20.81 oz. Speakerphone: 240 x 240 x 68 mm; 9.45 x 9.45 x 2.68 in; 810 g/28.57 oz. Remote: 50 mm x 120 mm x 9.8 mm; 1.97 x 4.72 x .36 in; 48 g/1.69 oz. Hub: 95 x 74 x 34 mm; 3.74 x 2.91 x 1.34 in; 50 g/1.76 oz.

UC Audio for Distraction-Free Communication



	DESCRIPTION	KEY FEATURES
Wireless Headset H820e Dual Part No.: 981-000516 MSRP: \$199.99 Mono Part No.: 981-000511 MSRP: \$179.99	Enterprise-grade DECT wireless headset. In-call LED light, on-boom mute button and LED mute indicator light.	Wearing Style: Available in mono and dual styles; padded and adjustable headband, padded earpiece(s)
		Range: More than 300-ft. (up to 100m)
		Battery Life/Talk Time: Up to 10 hours of wideband talk time. Charging base included.
		Audio Controls: On-ear answer/end, volume up/down buttons, on-boom mute button and indicator light
		Dimensions & Weight: 174 x 165 x 50 mm; 6.75 x 6.5 x 2 in; <u>Dual</u> 128g/4.5 oz.; <u>Mono</u> 88g/3.1 oz.
Ω	Delivers DSP enterprise- quality audio and user- friendly features like a clever in-call LED light that minimizes interruptions.	Wearing Style: Available in mono and stereo styles; padded and adjustable headband, padded earpiece(s)
		Range: 7.16-ft. (2.2 m) cable
USB Headset H650e		Battery Life/Talk Time: Unlimited (USB wired connectivity provides constant power)
Stereo Part No.: 981-000518 MSRP: \$89.99		Audio Controls: Quick access in-line controller for call answer/end, volume up/down and mute button
Mono Part No.: 981-000513 MSRP: \$79.99		Dimensions & Weight: 174 x 165 x 50 mm; 6.75 x 6.5 x 2 in; <u>Stereo</u> 120 g/4.2 oz.; <u>Mono</u> 93 g/3.3 oz.
	Clear, comfortable and stylish enterprise-quality communication for any budget.	Wearing Style: Available in mono and stereo styles; padded and adjustable headband, padded earpiece(s)
		Range: 6.9-ft. (2.1 m) cable
USB Headset H570e		Battery Life/Talk Time: Unlimited (USB wired connectivity provides constant power)
Stereo Part No.: 981-000574 MSRP: \$49.99		Audio Controls: Quick access in-line controller for call answer/end², volume up/down and mute button
Mono Part No.: 981-000570 MSRP: \$44.99		Dimensions & Weight: 180 x 200 x 60 mm; 7.09 x 7.87 x 2.36 in; <u>Stereo</u> 219 g/7.73 oz.; <u>Mono</u> 194 g/6.84 oz.
Mobile Speakerphone P710e Part No.: 980-000741 MSRP: \$169.99	Transform any workspace into an instant conference room. Delivers DSP enterprise-quality audio, portability, and secondscreen flexibility with an integrated mobile device stand.	Connectivity: USB and Bluetooth* with NFC technology
		Device Stand: Positions a mobile phone or tablet at just the right angle for shake-free video calls.
		Battery Life/Talk Time: Up to 15 hours
		Audio Controls: Touch controls for answer/end, volume up/down, mute
		Dimensions & Weight: 120 x 120 x 40 mm; 4.75 x 4.75 x 1.5 in; 275 g/9.7 oz.

UC Keyboard Combo for the Shrinking Desk



	DESCRIPTION	KEY FEATURES
	o:: 920-004938 9 voice, video and messaging seamlessly in one streamlined desktop solution.	Keyboard UC Control Buttons: Voicemail messages, select handset, select headset, select speakerphone, call hold, answer/hang-up, video mute, audio mute, volume up/down
		Keyboard LCD: Two-line display, 40 character LCD
UC Solution for Cisco 725-C Combo Part No.: 920-004938		Mouse: Wireless; advanced optical tracking; Unified Technology USB connectivity
MSRP: \$269.99 Keyboard Only Part No.: 920-004200		Webcam: HD 1080p ² ; 78° FOV; UVC H.264
MSRP: \$149.99 Webcam Only Part No.: 960-000945 MSRP: \$119.99		Dimensions & Weight: Keyboard: $442 \times 162 \times 32$ mm; $17.4 \times 6.4 \times 1.2$ in; $0.9 \times g / 29.2$ oz Mouse: $102 \times 57 \times 39$ mm; $4 \times 2.3 \times 1.5$ in; $122 g / 4.3$ oz with batteries and receiver, $58 g / 2.1$ oz without batteries and receiver Webcam: $126 \times 73 \times 45$ mm; $5 \times 2.9 \times 1.8$ in; $170 g / 6$ oz with clip and cable; $126 \times 29 \times 32$ mm; $5 \times 1.2 \times 1.3$ in without clip and cable



alialia cisco Partner



Are you an enterprise deploying Cisco Jabber®? You may qualify for a Logitech UC product trial.

Apply at www.logitech.com/cisco or www.info.logitech.com/CiscoJabberTrial Learn more at: www.logitech.com/cisco

To order, contact your reseller or call us at 800-308-8666

Logitech Inc. 7700 Gateway Blvd. Newark, CA 95460

 $^{^{\}rm I}$ See www.logitech.com/ciscocompatibility for the latest version $^{\rm 2}$ Supported video modes vary by application.

^{© 2015} Logitech. Logitech, the Logitech logo and other Logitech marks are owned by Logitech and may be registered. All other trademarks are the property of their respective owners. Logitech assumes no responsibility for any errors that may appear in this publication. Product, pricing and feature information contained herein is subject to change without notice.