



## DATASHEET

# Accessories for Rally AI Cameras

The Logitech Rally AI Camera family includes a full suite of accessories to support flexible camera placement across a wide range of room sizes and configurations. Multiple mounting and extension options provide the convenience of camera deployments at scale.

### **Accessories that suit every meeting space**

From wall, ceiling, and recessed mounts to pivot and TV mounting options, plus extended USB connectivity, these accessories simplify professional installations while enabling reliable, scalable camera deployments.



### Rally AI Cameras Extension Kit

Rally AI Cameras Extension Kit is a USB extender that enables Rally AI Camera and Rally AI Camera Pro to connect up to 100 meters from a host device with a Cat cable. It supports flexible camera placement across larger or more complex rooms, simplifying installations while maintaining reliable performance over extended distances.

Compatible with	Rally AI Camera Rally AI Camera Pro
Dimensions	<b>Camera side</b> Height: 72 mm (2.8 in) Width: 211 mm (8.3 in) Depth: 20 mm (0.8 in) <b>Host side</b> Height: 68 mm (2.7 in) Width: 120 mm (4.7 in) Depth: 20 mm (0.8 in)
Ports and interfaces	<b>Camera side</b> USB: 1 x USB-C RJ45: 2 x RJ45 <b>Host side</b> USB: 1 x USB-C RJ45: 2 x RJ45
What's in the box	Rally AI Cameras Extension Kit Mounting hardware User documentation Graphite device cosmetic sleeve USB-C cable 6" Cat 6A cable 6" USB-C to A cable 6'
	Extension cable type: Cat 6A
	Extension cable max distance: 100 m
Part numbers	Worldwide: 952-000332 China: 952-000333 Japan: 952-000334



### Rally AI Cam Pro Recess Mount

Rally AI Cam Pro Recess Mount securely mounts the camera while minimizing its visual footprint and discreetly blending into the room's overall design.


Compatible with	Rally AI Camera Pro
Dimensions	Height: 324 mm (12.8 in) Width: 283 mm (11.1 in) Depth: 108 mm (4.2 in) Depth within wall: 101 mm (4.0 in) Depth out of wall: 7 mm (0.3 in)
What's in the box	Rally AI Camera Pro Recess Mount Mounting hardware User documentation
Part numbers	Worldwide: 952-000313 China: 952-000314 Japan: 952-000315



### Rally AI Cam Recess Mount

Rally AI Cam Recess Mount securely houses Rally AI Camera within the wall, hiding cabling and minimizing visible hardware to enable seamless integration into the room design.

Compatible with	Rally AI Camera
Dimensions	Height: 171 mm (6.7 in) Width: 283 mm (11.1 in) Depth: 85 mm (3.3 in) Depth within wall: 80 mm (3.1 in) Depth out of wall: 5 mm (0.2 in)
What's in the box	Rally AI Camera Recess Mount Mounting hardware User documentation
Part numbers	Worldwide: 952-000310 China: 952-000311 Japan: 952-000312



### Rally AI Cameras Jbox Mount

Rally AI Cameras JBox Mount enables direct mounting of Rally AI Camera and Rally AI Camera Pro to standard electrical junction boxes for quick, clean wall installations. It provides a secure mounting solution that simplifies placement while maintaining a professional appearance and easy cable management. Attaches to single or dual jboxes in vertical or horizontal orientations.

Compatible with	Rally AI Camera Rally AI Camera Pro
Dimensions	Height: 102 mm (4 in) Width: 139 mm (5.5 in) Depth: 10 mm (0.4 in)
What's in the box	Rally AI Cameras Jbox Mount Mounting hardware User documentation
	Extension cable type:
	Extension cable max distance:
Part numbers	Worldwide: 952-000328 China: 952-000329 Japan: 952-000330



### Rally AI Cameras Pivot Mount

Rally AI Cameras Pivot Mount enables direct wall or gang-box mounting with adjustable positioning. Easily pivot the camera 30° left or right toward the area of interest and unlock even better framing in your conferencing spaces.

Compatible with	Rally AI Camera Rally AI Camera Pro
Dimensions	Height: 115 mm (4.5 in) Width: 209 mm (8.2 in) Depth: 98 mm (3.9 in)
What's in the box	Rally AI Cameras Pivot Mount Mounting hardware User documentation
Part numbers	Worldwide: 952-000319 China: 952-000320 Japan: 952-000321



### Rally AI Cameras Ceiling Mount

Rally AI Cameras Ceiling Mount securely mounts Rally AI Camera or Rally AI Camera Pro from installer-supplied ¾-inch or 1½-inch pipe for optimal placement and unobstructed sightlines. Made for right-side-up installation on both drywall and drop ceilings, it delivers flexible, professional mounting for a wide range of room configurations.

Compatible with	Rally AI Camera Rally AI Camera Pro
Dimensions	Height: 74 mm (2.9 in) Width: 175 mm (6.9 in) Depth: 42 mm (1.6 in)
What's in the box	Rally AI Cameras Ceiling Mount Mounting hardware User documentation
Part numbers	Worldwide: 952-000322 China: 952-000323 Japan: 952-000324

## WARRANTY

2-year limited hardware on accessories for Rally AI Cameras.



[logitech.com/business](https://www.logitech.com/business)

Contact your reseller  
Or contact us at  
[www.logitech.com/business](https://www.logitech.com/business)

**Logitech Americas**  
3930 North First Street,  
San Jose, CA 95134

**Logitech Europe S.A.**  
EPFL - Quartier de l'Innovation  
Daniel Borel Innovation Center  
CH - 1015 Lausanne

**Logitech Asia Pacific Ltd.**  
Tel : 852-2821-5900  
Fax : 852-2520-2230

© 2026 Logitech. Logitech, Logi, and all other Logitech trademarks and logos are trademarks or registered trademarks of Logitech Europe S.A. or its affiliates in the U.S. and/or other countries. All other third-party trademarks are the properties of their respective owners. Logitech assumes no responsibility for any errors that may appear in this publication. Product, pricing, and feature information contained herein is subject to change without notice.

Published January 2026