

DATASHEET

LOGITECH SCRIBE

Effortlessly share whiteboards into video meetings with Logitech Scribe, an AI-powered whiteboard camera for Microsoft Teams® Rooms.

WHITEBOARD CAMERA FOR MICROSOFT TEAMS ROOMS

Designed for whiteboard sharing in the modern workplace, Logitech Scribe broadcasts content on dry erase boards into Teams meetings with outstanding clarity. Now, even remote participants can have the best seat at the table.

With a clean wall-mounted design and thoughtful cable management, Scribe installs elegantly into any small, medium, or large meeting room with a whiteboard and works in concert with your Logitech Room Solutions for Microsoft Teams hardware, such as conference camera and touch controller. An all-inclusive content camera kit, Scribe comes with mounting components, power supply, and category cabling to add virtual whiteboard collaboration to your Teams Rooms deployment at scale.

PURPOSE-BUILT FOR TEAMS ROOMS

Scribe integrates with Microsoft Teams Rooms as a content camera for effortless, AI-powered whiteboard sharing. Simply join the meeting and start sharing.



SIMPLE TO USE



Works with Any Whiteboard

Works with all whiteboard surfaces, capturing up to 6' W by 4' H, and any set of dry erase markers.



One-Touch to Share

Initiate whiteboard sharing with your meeting room touch controller, like Logitech Tap.



Make Every Room a Teams Room

Scribe makes a great addition to Logitech Room Solutions, which are pre-configured for Teams Rooms and include everything you need to build out meeting rooms of virtually any shape or size - an Ultra-HD Logitech conferencecam with RightSense™ technologies, the Tap touch controller, and a mini PC or built-in compute.

Learn more at www.logitech.com/microsoft-rooms.

FEATURES & BENEFITS

PERFECT VIEWS, REMOTE OR IN THE ROOM



AI-POWERED PERFORMANCE

Presenter Removal

Scribe's built-in AI delivers a transparency effect, allowing participants to see "through" the presenter for an unobstructed view of the whiteboard.


Content Enhancement

Scribe automatically enhances the color and contrast of dry erase markers, making text and sketches easier to read.

Sticky Note Detection


Scribe uses image segmentation to recognize and show other forms of content like sticky notes.

CLEAN, FLEXIBLE INSTALLATION




Wall Mounting

Securely mount Scribe to a variety of wall surfaces with the included installation kit.



Cable Management

Ensure clean, confident installs with cable retention and options to route cabling up, down, or through the wall.



Flexible Cabling

Use the included 10 meters of category cable or supply your own to fit the size and layout of your meeting room.

SPECIFICATIONS

SYSTEM REQUIREMENTS

Whiteboard

Maximum Dimensions (Height x Width)
1.2 x 2 m
4 x 6 ft

Customer-Supplied Cabling

Cable Type: Cat5e or higher [up to 115.83 ft (35 meters) in total length]

COMPATIBILITY AND CERTIFICATIONS

Integrates with Microsoft Teams Rooms on Windows® as a whiteboard content camera. See www.logitech.com/support/scribe-compatibility for pending and granted certifications and compatibility updates.

Compatible with virtually any video conferencing application as a USB-connected camera.

PACKAGE CONTENTS

Camera
Share Button
Dongle Transceiver
100-240v Power Supply with International Adaptor Set
16.4 ft (5.0 m) Cat5e Cables x 2
Cable Clips x 2
Camera Installation Kit
Documentation

PRODUCT DIMENSIONS

Camera

Total Height x Width x Depth:
149 x 119 x 593 mm
5.9 x 4.7 x 23.4 in
1.1 kg (2.75 lbs)

Share Button

Height: 12.7 mm (0.5 in)
Diameter: 71.8 mm (2.8 in)
108g (0.24 lbs)

Power Supply

Total Height x Width x Depth:
91 x 60 x 36 mm
3.6 x 2.4 x 1.4 in

Dongle Transceiver

Total Height x Width x Depth:
23 x 31 x 84 mm
0.9 x 1.2 x 3.3 in
Cable Length: 500 mm (1.64 ft)

Included Cabling (x2)

Length: 5 m (16.4 ft)

CAMERA

Output Resolution: 1080p at 15 fps
Built-In AI: Broadcasts AI-enhanced image stream into video meetings

SHARE BUTTON

Power: 2 x CR2032 battery
Adhesive-backed mounting
See www.logitech.com/support/scribe-compatibility for latest information.

POWER & CABLES

Power Supply: 100-240V auto-switching power supply with international adaptor set
Cable Type: Cat5e SF/UTP AWG26 or higher

ENVIRONMENTAL

Operating Temperature: 0 to 40°C
Storage Temperature: -40 to 70°C
Humidity: 10 to 95%

INTERFACES

Camera: Category Cable Port
Share Button: Bluetooth® Low Energy

DEVICE MANAGEMENT

Logitech Sync

EXTENDED WARRANTY



Ensure optimal performance of your Logitech conference room hardware for a total of three years with the Extended Warranty for Logitech Scribe, which adds one additional year to the standard two year limited hardware warranty.
Contact your reseller for availability.

Standard 2-year limited hardware warranty included

PART NUMBERS

Logitech Scribe:
960-001332

Extended Warranty for Logitech Scribe:
994-000147

Logitech Americas
7700 Gateway Blvd.
Newark, CA 94560 USA

Logitech Europe S.A.
EPFL - Quartier de l'Innovation
Daniel Borel Innovation Center
CH - 1015 Lausanne

Logitech Asia Pacific Ltd.
Tel : 852-2821-5900
Fax : 852-2520-2230

© 2021 Logitech. Logitech, the Logitech logo and other Logitech marks are owned by Logitech and may be registered. All other trademarks are the properties of their respective owners. Logitech assumes no responsibility for any errors that may appear in this publication. Product, pricing and feature information contained herein is subject to change without notice.

Published May 2021