



---

## DATA SHEET

# LOGITECH MEETUP

Create plug-and-play video conferencing with MeetUp, an all-in-one USB conference camera for small rooms and spaces. MeetUp packs big features and unbeatable value in a compact form factor that is simple to set up and easy to install.

### MEET EASY

Compatible with virtually any video conferencing software app, MeetUp easily connects to PC, Mac®, and Chrome™ devices with no additional software required.

With an ultra-wide motorized lens, integrated audio, and a two-way table stand/wall mount, MeetUp reduces cross-room cabling and maximizes usable space in huddle rooms and other small spaces. Three advanced beamforming mics and a custom-tuned speaker with full duplex ensure that meetings sound as great as they look.



## KEY FEATURES

### All-in-one design

Compact all-in-one form factor takes up less space and minimizes cable clutter.

### Plug-and-play USB connectivity

Easily connects to PC, Mac® and Chrome™ devices with no additional software required.

### Works with most video conferencing applications

Compatible with virtually any video conferencing software app, including the ones you already use.

### Certified for Business

Business-grade certifications mean you can launch your next presentation or video meeting with complete confidence.

### TAA Compliant

MeetUp is TAA compliant. For applicable part numbers, visit [support](#).

### Razor-sharp optics

Advanced Logitech lens technology delivers remarkable video quality with superb resolution, speed, fluidity, color balance, and detail.

### Motorized pan/tilt

Expand your field of view even further—up to 170°—to pan to the white board or view other areas of interest.

### Ultra HD 4K image sensor

Supports multiple resolutions, including 4K (Ultra HD), 1080p (Full HD), and 720p (HD) to best support the quality offered by your application and monitor.

### 5x HD zoom

Zero in on close-ups of objects and whiteboard content with outstanding detail and clarity.

### 120° field of view

Allows everyone in the room to be seen, even those close to the camera or seated at the edges of the room.

### Camera presets

Select up to three preset locations for the camera view and return to any of them with the push of a button on the remote control.

### Rightsense Technologies

RightSound optimizes the human voice and enhances conversational clarity. RightSight automatically moves the camera and adjusts the zoom so no one gets left out of the picture. And RightLight helps everyone look their best on camera, regardless of lighting conditions.



## Expansion microphone-ready

Optional expansion microphone increases conversational radius in larger huddle rooms.

## Bluetooth® wireless technology

Connect to a Bluetooth® device for great-sounding audio calls.

## 3-microphones and custom-tuned speaker

Three beamforming microphones with echo cancellation—plus a custom-tuned speaker—are specifically optimized for small conference rooms.

## Multiple mounting options

Mount MeetUp wherever it works best—tabletop, wall, or monitor—for the best possible huddle room experience.

## Kensington® security slot

MeetUp is provisioned with a Kensington security slot to help secure the equipment with an anti-theft lock.

## Simple to manage


Monitor and manage your meeting room devices from one single platform with Logitech Sync. Plus, get business insights into how your rooms are being used.

## RF remote control

Easily operate the pan/tilt/zoom functions during meetings to manually change camera angle and subject.



## MEETUP ACCESSORIES



### EXPANSION MIC

Logitech Expansion Mic for MeetUp provides greater flexibility for room configurations. Built-in beamforming mics are optimized for up to 4 meters (13.1 feet). To extend that range up to 5 meters (16.4 feet), add an Expansion Mic.



### MEETUP MIC EXTENSION CABLE

MeetUp Mic Extension Cable adds 10 meters (32.8 ft) of reach to the mic's standard 6 meter (20 ft) cable. With 16 meters (52.5 ft) of total reach to work with, installers can route cables out of sight for a clean installation. A handy cable clip keeps the connection secure.



### TV MOUNTS

Logitech TV Mount for MeetUp securely holds the MeetUp conference camera either above or below a flat-panel monitor and attaches to the industry-standard VESA mounting points available on most TVs and monitors.

| GENERAL  | CAMERA   | SPEAKER   |
|--|--|---|
| <p><b>Built-in Components:</b> Ultra-HD camera with motorized pan/tilt, integrated microphone with 3 beamforming elements, full-range speaker, integrated table stand/wall mount</p> <p><b>Enclosure:</b> All-in-one enclosure with patented anti-vibration suspension system</p> <p><b>Remote:</b> RF remote control with three camera presets</p> <p><b>Security:</b> Kensington security slot</p> <p><b>USB 2.0 Cable:</b> 5m (16 ft) included; customer-supplied USB 3.0 cable required for 4K video</p> <p><b>Dimensions (H x W x D):</b> 104mm (4.09 in) x 400 mm (15.75 in) x 85 mm (3.27 in)</p> <p><b>Weight:</b> 1.04 kg (2.3 lbs)</p>   | <p><b>Lens:</b> Custom Logitech lens with motorized pan/tilt</p> <p><b>Zoom:</b> 5x digital zoom</p> <p><b>Pan:</b> +/- 25°</p> <p><b>Tilt:</b> +/- 15°</p> <p><b>Field of View:</b> Diagonal: 120°, Horizontal: 113°, Vertical: 80.7°</p> <p><b>Total Room Coverage:</b> 163° wide x 110° tall (field of view + pan and tilt)</p> <p><b>4K Ultra HD:</b> Up to 3840 x 2160 pixels @ 30 fps with customer-supplied USB 3.0 cable</p> <p><b>Full HD:</b> Up to 1920 x 1080 pixels @ 30 fps</p> <p><b>HD:</b> Up to 1280 x 720 pixels @ 30 fps</p> <p><b>RightLight Technologies:</b> Low-light compensation, video noise reduction, low-light saturation optimization</p> <p><b>RightSight Technologies:</b> Automatically adjusts camera position and zoom to find and frame everyone in the room.</p> | <p><b>Volume:</b> 95 dB SPL at 1/2 meter peak</p> <p><b>Sensitivity:</b> 86.5+/-3dB SPL at 1/2 meter</p> <p><b>Distortion:</b> 200-300Hz &lt; 3%, 3000 Hz -10KHz &lt; 1%</p>  |
|  |  | MICROPHONES   |
|  |  | <p><b>Beamforming Elements:</b> 3</p> <p><b>Pickup Range:</b> 4 m (13.1 ft)</p> <p><b>Sensitivity:</b> -27 dB</p> <p><b>Frequency Response:</b> 90Hz-16KHz</p> <p><b>RightSound Technologies:</b> AEC (Acoustic Echo Cancellation), VAD (Voice Activity Detector)</p> <p><b>Date Rate:</b> 32KHz sampling rate</p> <p><b>Add-on Mics:</b> Supports 1 Expansion Mic for MeetUp to expand audio coverage (not included)</p> |
| CERTIFICATIONS & COMPATIBILITY   | RIGHTSENSE TECHNOLOGIES  | PART NUMBERS  |
| <p>Plug-and-play USB connectivity</p> <p><b>Certifications:</b></p> <ul style="list-style-type: none"> <li>Certified for Skype for Business and ready for Teams</li> <li>Tencent Certified</li> <li>Certified for Google Hangouts Meet Hardware</li> </ul> <p><b>Compatibility:</b></p> <ul style="list-style-type: none"> <li>Zoom</li> <li>RingCentral</li> <li>Pexip</li> <li>GoToMeeting</li> <li>Microsoft Cortana®</li> <li>Cisco Jabber®</li> <li>BlueJeans</li> <li>BroadSoft</li> <li>Vidyo</li> </ul> <p>And other video conferencing, recording, and broadcasting applications that support USB cameras</p> <p>TAA compliant. For applicable part numbers, visit <a href="http://www.logitech.com/support/meetup-taa-compliance">www.logitech.com/support/meetup-taa-compliance</a></p> | <p>RightLight</p> <p>RightSight</p> <p>RightSound</p>  | <p><b>MeetUp:</b> 960-001101<br/>UPC: 097855130037</p> <p><b>MeetUp + Expansion Mic:</b> 960-001201<br/>UPC: 097855133267</p> <p><b>Expansion Mic:</b> 989-000405<br/>UPC: 097855131171</p> <p><b>MeetUp Mic Extension Cable:</b> 950-000005<br/>UPC: 097855148940</p> <p><b>TV Mount:</b> 939-001498<br/>UPC: 097855133250</p> <p><b>TV Mount XL:</b> 939-001656<br/>UPC: 097855140876</p>                               |
|  | WARRANTY   |   |
|  | <p><b>Standard:</b> 2-year limited hardware warranty included</p>  |   |
|  | <p><b>Extended:</b> Additional one-year and three-year extended warranties available at the time of hardware purchase. Contact your reseller for availability.</p>   |   |
|  | PACKAGE CONTENTS   |   |
|  | <p>MeetUp conference camera</p> <p>Remote control</p> <p>5m USB 2.0 cable</p> <p>Power adapter</p> <p>Wall mounting hardware</p>   |   |



[www.logitech.com/MeetUp](http://www.logitech.com/MeetUp)

Contact your reseller

Or contact us at

[www.logitech.com/business](http://www.logitech.com/business)

**Logitech Americas**

3930 North First Street,  
San Jose, CA 95134

**Logitech Europe S.A.**

EPFL - Quartier de l'Innovation  
Daniel Borel Innovation Center  
CH - 1015 Lausanne

**Logitech Asia Pacific Ltd.**

Tel : 852-2821-5900  
Fax : 852-2520-2230

© 2026 Logitech. Logitech, the Logitech logo and other Logitech marks are owned by Logitech and may be registered. All other trademarks are the properties of their respective owners. Logitech assumes no responsibility for any errors that may appear in this publication. Product, pricing and feature information contained herein is subject to change without notice.

Published April 2026