logitech

ENHANCE COLLABORATION



Logitech Video Collaboration Group Portfolio

Logitech® is changing the way teams collaborate, opening new possibilities and eliminating old boundaries by offering a range of brilliantly designed collaboration tools that are so intuitive, people actually love to use them.

Logitech webcams enhance desktop collaboration with high quality HD video, while USB headsets and the P710e mobile speakerphone delivers sound that's crisp, clear and heard by everyone in the meeting. Plus, the Logitech ConferenceCam lineup provides both razor sharp video and crystal clear audio that is so amazingly affordable – any meeting place can now be a video collaboration space.

USB plug-and-play connectivity makes Logitech Collaboration tools a breeze to deploy and use within your own familiar computing environment with any video conferencing software application — including the ones you already use. Simply connect a laptop and start a meeting.

From personal workspaces to large-sized conference rooms, Logitech helps enhance collaboration and productivity with tools that adapt to the way people work.

Logitech Video Collaboration Portfolio

CONFERENCECAMS FOR GROUP VIDEO CONFERENCES

LOGITECH GROUP





Optimized for large and mid-sized groups of up to 20 people, Logitech GROUP delivers crystal clear audio and razor sharp video with plug-and-play simplicity and amazing affordability.

Logitech GROUP Part #: 960-001054

DESCRIPTION

Expansion Mics Part #: 989-000171

GROUP 10m Extended Cable Part #: 939-001487

GROUP 15m Extended Cable Part #: 939-001490

KEY FEATURES

Compatibility: Compatible with Mac®, PC and all leading video conference platforms. Certified for Skype® for Business, Cisco® compatible¹ and enhanced integration with Logitech Collaboration Program members

Resolution: Full HD 1080p @ 30 fps³

Camera: 90° diagonal FOV, 260° pan/130° tilt, 10x lossless zoom

Speakerphone: Full-duplex speakerphone delivers lifelike sound that's crisp, rich, and highly intelligible. Four omni-directional mics support 6m/20' diameter range, extendable to 8.5m/28' with optional expansion

Controls: Dockable remote control and on-device touch controls for pan, tilt, zoom, call answer/hang up⁴, volume up/down, mute, *Blu*etooth® pairing, far-end control³ and 5 camera presets plus an LCD display

Connectivity: USB plug-and-play, Bluetooth wireless technology and Near Field Communication (NFC) technology, optional GROUP extended DIN cables lengthen the distance between the hub and the camera/speakerphone enabling custom, super-clean conference room installations⁵

Dimensions & Weight: Camera: 130 x 170 x 138 mm (5.1 x 7.0 x 5.4") / 585 g (21 oz)

Speakerphone: $240 \times 65 \times 240 \text{ mm} (9.5 \times 2.5 \times 9.5") / 1223 \text{ g} (43 \text{ oz})$

Hub: $94 \times 34 \times 74$ mm $(3.75 \times 1.3 \times 2.9")/83$ g (3 oz); Remote: $50 \times 120 \times 12$ mm $(2 \times 5 \times 0.5")/51$ g (2 oz)

LOGITECH MEETUP



MeetUp is Logitech's premier ConferenceCam designed for huddle rooms, with a room capturing 120° FOV, 4K optics and exceptional audio performance.

Logitech MeetUp Part #: 960-001101

Optional Expansion Mic: Part #: 989-000405

Optional TV Mount: Part #: 939-001498

Compatibility: Compatible with Mac, PC and all leading video conference platforms. Certified for Skype for Business, Cisco compatible¹ and enhanced integration with Logitech Collaboration Program

Resolution: 4K Ultra HD, 1080p Full HD, or 720p HD video calling at 30fps with supported clients³ Camera: 120° FOV, motorized pan/tilt

Speakerphone: Three broadside beamforming, omnidirectional microphones with noise and echo cancellation—plus a custom-tuned speaker—are specifically optimized for small conference rooms. Mics are Microsoft® Cortana® certified for precision with voice commands with any Windows® 10 system

Controls: RF remote control makes it easy to operate camera pan/tilt/zoom, volume up/down, and mute functions during your meeting

 $\textbf{Connectivity:} \ \mathsf{USB} \ \mathsf{plug-and-play}, \ \mathsf{Bluetooth} \ \mathsf{wireless} \ \mathsf{technology}$

Dimensions & Weight: Main Unit: 400 x 104 x 85 mm (15.75 x 4.1 x 3.35) /1.04 kg (2.3 lb)

Remote: 83 x 10 x 23 mm (3.25 x 0.375 x 3.25") / 72 g (2.5 oz)

CONFERENCECAM CONNECT



Portable all-in-one design delivers affordable enterprise-quality video conferencing to virtually any workspace. Brilliantly designed, easy to transport, and easy to set up.

Part #: 960-001035

Compatibility: Compatible with Mac, PC and all leading video conference platforms. Certified for Skype for Business, Cisco compatible¹ and enhanced integration with Logitech Collaboration Program

Resolution: Full HD 1080p @ 30 fps3

Camera: 90° diagonal FOV, digital pan/tilt and mechanical tilt wheel

Speakerphone: Full-duplex speakerphone with acoustic echo cancellation and noise reduction technology. Two omni-directional microphones support 3.7m/12' diameter range

Controls: 10' range dockable remote control for camera/speakerphone functions

 $\textbf{Connectivity:} \ \textbf{USB} \ \textbf{plug-and-play}, \ \textbf{Bluetooth} \ \textbf{wireless} \ \textbf{technology} \ \textbf{and} \ \textbf{Near Field Communication}$

(NFC) technology

Dimensions & Weight: 75 x 75 x 304 mm (3 x 3 x 12") / 766 g (27 oz)

Remote: 41 x 128 x 9 mm (1.6 x 5.0 x 0.4") / 35 g (1.2 oz); USB cable: 2 m (78.7")

CONFERENCECAM



The Logitech ConferenceCam BCC950 is an all-in-one video conference solution with HD video and professional audio for small group collaboration.

Part #: 960-000939

Compatibility: Compatible with Mac, PC and all leading video conference platforms. Certified for Skype for Business, Cisco compatible¹ and enhanced integration with Logitech Collaboration Program

Resolution: Full HD 1080p @ 30 fps3 Camera: 78° diagonal FOV, 180° pan/55° tilt

Speakerphone: Built-in dual stereo mics with automatic noise reduction. Up to 2.4m/8' diameter range

Controls: Remote control and on-device controls for pan, tilt, zoom, call answer/hang up7,

volume up/down, and mute

Connectivity: USB plug-and-play

Dimensions & Weight: 154 x 345 x 147 mm (6.1 x 13.6 x 5.8") with height extender/568 g (20.03 oz)

Remote: 118 x 19 x 49 mm (4.6 x 7.5 x 1.9") / 47 g (1.7 oz)

COLLABORATION VIDEO SOLUTIONS

DESCRIPTION

Premium USB-enabled HD PTZ video camera for use in conference rooms, training environments, large events, and other professional video uses.

Part #: 960-001184

KEY FEATURES

Compatibility: Compatible with Mac, PC and all leading video conference platforms. Certified for Skype for Business, Cisco compatible¹ and enhanced integration with Logitech Collaboration Program

Resolution: Full HD 1080p @ 30 fps3

Optics: 90° diagonal, 260° pan/130° tilt, 10x lossless zoom

Remote Controls: Pan/tilt/zoom⁶, far-end control³, camera presets

Connectivity: USB plug-and-play

Dimensions & Weight: Camera: 146 x 131 x 130 mm (5.75 x 5.16 x 5.12") / 580 g (20.46 oz)

Remote: 10 x 50 x 120 mm (0.39 x 1.97 x 4.72") / 48 g (1.69 oz)



Logitech Video Collaboration Portfolio

ROOM SOLUTIONS

SMARTDOCK

AV Control Console



DESCRIPTION

Extend Skype for Business to every meeting space with Logitech SmartDock, a revolutionary AV console that enables one-touch join, desktop sharing, and streamlined video collaboration.

SmartDock Part #: 960-001110 Extender Box Part #: 960-001095

SmartDock + Extender Box Part #: 960-001114

For bundle options, please contact your channel reseller.

KEY FEATURES

Compatibility: SmartDock works with a wide range of meeting room AV devices including Logitech ConferenceCams

Connectivity: Supports a wide variety of deployments and device connectivity with dual 1080p display ports⁸, an HDMI input for 1080p60 content sharing, three USB 3.1 type A ports, Gigabit Ethernet, and a headset mini-plug

Additional Features: Pivoting, cast-metal support platform, IR motion sensor, plug-and-play camera

System Requirements:

- Microsoft Surface™ Pro 4 with: Intel® Core™ i5 required (Core i7 and Core m3 are not supported), Windows 10 Enterprise (not included with Microsoft Surface Pro 4)
- Microsoft Skype Room System Software
- Room Resource Account for Skype for Business (accounts can be either on-premises server or Online Office 365°)
- Internet access via Ethernet with DHCP enabled
- External display or projector with HDMI input
- A Logitech ConferenceCam (recommended) or other Skype certified AV devices
- 100-240v AC

Dimensions & Weight: SmartDock: $239 \times 334 \times 209$ mm $(9.4 \times 13.2 \times 8.2")/2738$ g (6.04 lb) Extender Box: $34 \times 128 \times 128$ mm $(1.3 \times 5.0 \times 5.0")/360$ g (0.79 lb)

Cable Length: HDMI: 3m/9.8' Network: 3m/9.8' Power: 3m/9.8'

Extender Box: 5m/16.4'

CONFERENCECAM KIT WITH INTEL NUC

This easy-to-buy video conferencing bundle provides a high quality, easy-to-use solution that is affordable to deploy in every room.

Configuration Options:

GROUP Kit with Intel NUC

Connect Kit with Intel NUC

To order, contact your channel reseller.

All System Components: Logitech GROUP or ConferenceCam Connect, Intel NUC Kit NUC5i5MYHE, Iluminari Quicklaunch™ SE, Intel Unite™ software, Wireless Touch Keyboard K400 Plus, 8GB DDR3L RAM, Intel Dual Band Wireless-AC 7265, Intel SSD Pro 2500, Series (180GB), Microsoft Windows 10 Pro, and Mini DisplayPort to HDMI adapter

 $\textbf{Compatibility:} \ \textbf{Skype for Business, Cisco, and enhanced integration with Logitech Collaboration} \ \textbf{Program members}^2$

COMPONENT FEATURES

Logitech ConferenceCam: 1080p @ 30 fps³, 90° field of view with pan and tilt, and full duplex omnidirectional speakerphones

Intel NUC with Intel Unite: Ultra-compact form factor fits almost anywhere, Intel Unite enables wireless content sharing from PC and Mac devices, helps manage devices, apps, and identities with Microsoft Windows 10 Pro

Iluminari Quicklauch SE: Simple and consistent interface, completely flexible and can be customized to meet the specific needs of different work groups, integrated camera control, and can be managed remotely using familiar IT tools

WEBCAMS FOR DESKTOP COLLABORATION

DESCRIPTION

KEY FEATURES

BRIO



Logitech's best webcam is packed with advanced features, like 4K UHD, 5X zoom and RightLight $^{\rm M}$ 3 with HDR to look great in any setting.

Part #: 960-001105

Compatibility: Compatible with Mac, PC and all leading video conference platforms. Certified for Skype for Business and Microsoft Hello™, Cisco compatible¹ and enhanced integration with Logitech Collaboration Program members²

Resolution: 4K Ultra HD @ 30 fps³; HD 1080p @ 30 or 60 fps³; 720p HD @ 30, 60, or 90 fps³

Field of View: 3 Field of View settings: 65°, 78°, and 90°9

Microphone: Built-in dual stereo mics with automatic noise reduction. Mics even work with Microsoft

 $\textbf{Additional Features:} \ 5x\ zoom, \ RightLight^{\texttt{IM}}\ 3\ with\ HDR, infrared\ for\ supporting\ facial\ log-in\ to\ strengthen\ login\ security,\ and\ works\ with\ Cortana$

Dimensions & Weight: 102 x 27 x 27 mm (4 x 1 x 1") / 63 q (2.2 oz)

WEBCAM C930e



HD webcam with advanced features fine-tuned to enhance desktop collaboration.

Part #: 960-000976

Compatibility: Compatible with Mac, PC and all leading video conference platforms. Certified for Skype for Business, Cisco compatible¹ and enhanced integration with Logitech Collaboration Program members²

Resolution: Full HD 1080p @ 30 fps³

Field of View: 90°

 $\label{eq:microphone:Built-in dual stereo mics with automatic noise reduction \\ \textbf{Dimensions \& Weight: } 94 \times 43 \times 71 \text{ mm } (3.7 \times 1.7 \times 2.8") / 162 \text{ g } (5.7 \text{ oz}) \\$

C925e WEBCAM



Brilliantly designed for anyone seeking a better video collaboration experience, Logitech C925e Webcam delivers razor-sharp HD video at an amazingly affordable price.

Part #: 960-001077 Part #: 960-001180 **Compatibility:** Compatible with Mac, PC and all leading video conference platforms. Certified for Skype for Business, Cisco compatible¹ and enhanced integration with Logitech Collaboration Program members²

Resolution: Full HD 1080p @ 30 fps³

Field of View: 78°

Microphone: Built-in dual stereo mics with automatic noise reduction **Dimensions & Weight:** $126 \times 73 \times 45 \text{ mm}$ ($5.0 \times 2.9 \times 1.8$ ")/170 g (6.0 oz)

Logitech Video Collaboration Portfolio

COLLABORATION AUDIO SOLUTIONS

DESCRIPTION

USB HEADSET H650e



Delivers DSP enterprise-quality audio and user-friendly features like a clever in-call LED light that minimizes interruptions.

Stereo Part #: 981-000545

Mono Part #: 981-000544

KEY FEATURES

Compatibility: Compatible with Mac, PC and all leading video conference platforms. Certified for Skype for Business, Cisco compatible¹ and enhanced integration with Logitech Collaboration Program members²

Wearing Style: Available in mono and stereo styles; padded and adjustable headband, padded earpiece(s)

Range: 2.2 m (7.2') cable

Battery Life/Talk Time: Unlimited (USB wired connectivity provides constant power)

Audio Controls: Quick access in-line controller for call answer/end 7 , volume up/down and mute button **Dimensions & Weight:** 174 x 165 x 50 mm (6.8 x 6.5 x 2 $^{\prime\prime}$)/Stereo 120 g (4.2 oz); Mono 93 g (3.3 oz)

MOBILE SPEAKERPHONE P710e



Transform any workspace into an instant conference room.
Delivers DSP enterprise-quality audio, portability, and second-screen flexibility with an integrated mobile device stand.

Part #: 980-000744

Compatibility: Compatible with Mac, PC and all leading video conference platforms. Certified for Skype for Business, Cisco compatible¹ and enhanced integration with Logitech Collaboration Program members²

Connectivity: USB plug-and-play, Bluetooth wireless technology and Near Field Communication (NFC) technology

Device Stand: Positions a mobile phone or tablet at just the right angle for shake-free video calls

Battery Life/Talk Time: Up to 15 hours

Audio Controls: Touch controls for answer/end, volume up/down, mute **Dimensions & Weight:** 120 x 120 x 40 mm (4.8 x 4.8 x 1.5")/275 g (9.7 oz)

Want to learn about our collaboration products and how you can qualify for a trial?

Visit www.logitech.com/VC

Logitech Asia Pacific Unit 1003, 10/F, Tower One Cheung Sha Wan Plaza No. 833 Cheung Sha Wan Road Kowloon, Hong Kong

- ¹ See www.logitech.com/ciscocompatibility for the latest
- ² Refer to www.logitech.com/lcp for current list of program participants.
- ³ Supported video modes vary by application.
- ⁴ Works with Skype® for Business, Skype, Cisco Jabber®, Vidyo®, and other applications with integration.
- ⁵ Learn more about GROUP Extended DIN Cables at: www.logitech.com/accessories
- ⁶ Works with Skype[®] for Business, Zoom, Vidyo[®], and other applications with integration; Skype for Business requires plug-in download.

(select the appropriate product and download at www.logitech.com/support/business-products)

- ⁷ With Skype® for Business, and Skype using plug-in (select the appropriate product and download at www.logitech.com/support/business-products). Works with Vidyo® and other applications with integration.
- 8 When supported by Microsoft. $^{\circ}$
- ⁹ Requires software download.

 To download visit: www.logitech.com/support/brio

 1. To download visit: www.logitech.com/support/brio

 2. To download visit: www.logitech.com/support/brio

 2. To download visit: www.logitech.com/support/brio

 3. To download visit: www.logitech.com/support/brio

 3. To download visit: www.logitech.com/support/brio

 4. To download visit: www.logitech.com/support/brio

 4. To download visit: www.logitech.com/support/brio

 5. To download visit: www.logitech.com/support/brio

 6. To download visit: www.logitech.com/support/brio

 7. To download visit: www.logitech.com/support/brio

 8. To download visit: www.logitech.com/support/brio

 8. To download visit: www.logitech.com/support/brio

 9. To download visit: www.logitech.com/support/brio

© 2017 Logitech. Logitech, the Logitech logo and other Logitech marks are owned by Logitech and may be registered. All other trademarks are the property of their respective owners. Logitech assumes no responsibility for any errors that may appear in this publication. Product, pricing and feature information contained herein is subject to change without notice.