



WIRING DIAGRAMS

24 MARCH 2025






TABLE OF CONTENTS

<u>Rally Bar/Rally Bar Mini</u>	4
<u>Rally Bar Huddle</u>	8
<u>MeetUp</u>	12
<u>MeetUp 2</u>	16
<u>Rally/Rally Plus</u>	20


Wiring configurations for Tap and Tap IP: The wiring diagrams on the following pages are shown with Tap but most configurations can be substituted with Tap IP using one of the below connection methods.

Tap USB connection*




*This is the configuration shown on the following pages


Tap IP LAN + PoE injector (available for purchase seperately)



Tap IP PoE enabled network




Tap IP WLAN + PoE injector (available for purchase seperately)



RALLY BAR & RALLY BAR MINI


[Table of Contents](#)



CAT
USB
HDMI




Rally Bar / Rally Bar Mini
Appliance Mode





RALLY BAR HUDDLE


[Table of Contents](#)




CAT
USB
HDMI



Rally Bar Huddle
Appliance Mode: Default configuration







Rally Bar Huddle
BYOD Mode: Default configuration


MEETUP

[Table of Contents](#)






CAT 
USB 
HDMI 





MeetUp
BYOD Mode: Default configuration

MeetUp 2

[Table of Contents](#)








CAT
USB
HDMI





MeetUp 2
BYOD Mode: Default configuration

RALLY/RALLY PLUS

[Table of Contents](#)







FIN