



WIRING DIAGRAMS

12 DECEMBER 2025







TABLE OF CONTENTS

<u>Mic Pod CAT Coupler</u>	4
<u>Rally Bar/Rally Bar Mini Android Mode</u>	7
<u>Rally Bar/Rally Bar Mini BYOD Mode</u>	16
<u>Rally Bar/Rally Bar Mini PC Mode</u>	21
<u>Touch Screens with Microsoft Teams on Android</u>	27
<u>Rally Bar, Mini, Huddle and RoomMate with Touch Screens</u>	32
<u>Rally/Rally Plus</u>	37
<u>SWYTCH</u>	43
<u>RoomMate</u>	53
<u>Scribe</u>	62
<u>Sight</u>	67
<u>Rally Bar Huddle Android Mode</u>	82
<u>Rally Bar Huddle BYOD Mode</u>	85
<u>Rally Bar Huddle in PC Mode</u>	87
<u>MeetUp 2</u>	89
<u>Extend</u>	94
<u>Rally Board 65</u>	100
<u>Rally Camera Streamline Kit</u>	108


Wiring configurations for Tap and Tap IP: The wiring diagrams on the following pages are shown with Tap but most configurations can be substituted with Tap IP using one of the below connection methods.

Tap USB connection*




*This is the configuration shown on the following pages


Tap IP LAN + PoE injector (available for purchase seperately)




Tap IP PoE enabled network




Tap IP WLAN + PoE injector (available for purchase seperately)



Rally Bar



Rally Bar Mini




CAT cable ≤ 20m

Supported Configurations


[Online Manual](#)

logi



Mic Pod CAT Coupler
Rally Bar / Rally Bar Mini




This configuration is typically used when mic pods are ceiling mounted and Sight is on the table.



Supported Configurations

[Online Manual](#)

**Mic Pod CAT Coupler with Sight
Rally Bar / Rally Bar Mini**



A = ≤ 20m

B = ≤ 3m

Supported Configurations

[Online Manual](#)


logi

**Mic Pod CAT Coupler
Rally / Rally Plus
Maximum 7 Mic Pods and/or Mic Pod Hubs**

RALLY BAR & RALLY BAR MINI IN ANDROID MODE

[Table of Contents](#)






CAT ■
 USB ■
 HDMI ■




Rally Bar / Rally Bar Mini
Android Mode: Default configuration



CAT ■
 USB ■
 HDMI ■



Rally Bar / Rally Bar Mini
 Android Mode: Wired screen share (VC application dependent)




CAT ■
 USB ■
 HDMI ■

logi

Rally Bar / Rally Bar Mini
Android Mode: HDMI Ingest via Tap (VC application dependent)






CAT ■
 USB ■
 HDMI ■




Rally Bar / Rally Bar Mini
Android Mode: Temporary switch to USB mode



CAT ■
 USB ■
 HDMI ■
 MIC ■

logi



CAT ■
 USB ■
 HDMI ■


logi

Rally Bar / Rally Bar Mini
 Android Mode: Wired screen share (VC application dependent)

RALLY BAR & RALLY BAR MINI IN BYOD MODE

[Table of Contents](#)






CAT ■
 USB ■
 HDMI ■




Rally Bar / Rally Bar Mini
BYOD Mode: Default configuration



CAT ■
 USB ■
 HDMI ■
 MIC ■




Rally Bar / Rally Bar Mini
BYOD Mode: Rally Bar up to 4 Mic Pods
Rally Bar Mini up to 3 Mic Pods



CAT ■
 USB ■
 HDMI ■



Rally Bar / Rally Bar Mini
 BYOD Mode: Dual screens - screens are duplicated



CAT
USB
HDMI
MIC





Rally Bar / Rally Bar Mini
BYOD Mode: Rally Bar max 4 Mic Pods + 2 Mic Pod Hubs /Rally Bar Mini max 3 Mic Pods + 2 Mic Pod Hubs

RALLY BAR & RALLY BAR MINI IN PC MODE

[Table of Contents](#)








Rally Bar / Rally Bar Mini
PC Mode: Rally Bar up to 4 mic pods
Rally Bar Mini up to 3 mic pods






CAT
USB
HDMI

logi

Rally Bar / Rally Bar Mini
PC Mode: Wired screen share (VC application dependent)



CAT
USB
HDMI



Rally Bar / Rally Bar Mini
PC Mode: Wireless screen share through VC application (VC application dependent)


RALLY BAR, RALLY BAR MINI, & ROOMMATE: TEAMS ON ANDROID WITH INTERACTIVE TOUCH SCREENS

[Table of Contents](#)






28



CAT ■
 USB ■
 HDMI ■



Rally Bar / Rally Bar Mini
Teams on Android: Touch screen
CollabOS 1.12 or later




CAT ■
 USB ■
 HDMI ■



**RoomMate and MeetUp
 Teams on Android: Touch screen**

CAT 
USB 
HDMI 

logi




RoomMate and MeetUp
Teams on Android: Touch screen
Tap

RALLY BAR, RALLY BAR MINI, RALLY BAR HUDDLE & ROOMMATE WITH INTERACTIVE TOUCH SCREENS

[Table of Contents](#)






CAT ■
 USB ■
 HDMI ■

logi


Rally Bar / Rally Bar Mini
PC Mode: Touch panel with built-in computer
Tap USB not supported



CAT ■
 USB ■
 HDMI ■

logi



Rally Bar / Rally Bar Mini
 Android Mode: Touch screen



CAT ■
 USB ■
 HDMI ■



Rally Bar Huddle
Android Mode: Touch screen



CAT
USB
HDMI


logi


RoomMate and MeetUp
Android Mode: Touch screen

RALLY & RALLY PLUS

[Table of Contents](#)








Speaker
CAT
USB
HDMI
MIC


logi




Speaker
CAT
USB
HDMI
MIC

logi

Rally Plus: compute at Table Hub. Up to 7 Mic Pod and 7 Mic Pod Hubs
HDMI screen sharing. RoomMate not supported in this configuration. 40





USB ■


logi

Rally Plus: Extending the USB cable between the camera and Display Hub
Please note: this configuration does not work with Swytch

SWYTCH


[Table of Contents](#)








CAT
 USB
 HDMI


logi












**Swytch/MeetUp
BYOD Mode: With Logitech Swytch**




CAT
USB
HDMI


logi

RoomMate with MeetUp with Swytch
Android Mode

Note: SWYTCH + Rally Bar Huddle support coming soon






**Rally Bar / Rally Bar Mini / Rally Bar Huddle
Android Mode: With Logitech Swytch**



ROOMMATE

[Table of Contents](#)






CAT
USB
HDMI





RoomMate with MeetUp
Android Mode




CAT
USB
HDMI











CAT ■
 USB ■
 HDMI ■






CAT ■
USB ■
HDMI ■





CAT 
USB 
HDMI 






CAT ■
 USB ■
 HDMI ■

SCRIBE


[Table of Contents](#)







CAT 
USB 

Note: For Teams Rooms with dual displays, HDMI-TV 1 should connect to the **right** display and HDMI-TV 2 should connect to the **left** display







SIGHT

[Table of Contents](#)




Sight requires POE+ power (802.3at Type 2). This can be supplied by connecting to a POE+ network switch or an **active** POE+ power injector.

When using a single Sight


- Rally Bar supports up to 3 Mic Pods and 2 Mic Pod Hubs.
- Rally Bar Mini supports up to 2 Mic Pods and 2 Mic Pod Hubs.
- Rally and Rally Plus support up to 6 of any combination of Mic Pods or Mic Pod Hubs (ie. 4 Mic Pods + 2 Mic Pod Hubs, or 5 Mic Pods and 1 Mic Pod Hub). *Coming soon.*

When using dual Sights

- Mic Pods connect to the second Sight
- Rally Bar supports up to 2 Mic Pods and 2 Mic Pod Hubs.
- Rally Bar Mini supports 1 Mic Pod and 2 Mic Pod Hubs.
- Rally and Rally Plus support up to 6 of any combination of Mic Pods or Mic Pod Hubs (ie. 4 Mic Pods + 2 Mic Pod Hubs, or 5 Mic Pods and 1 Mic Pod Hub). *Coming soon.*




Beta Feature with CollabOS 1.15





Sight Daisy Chain
Applies to Android or USB setups
Requires CollabOS 1.15 or later


Beta Feature with CollabOS 1.15




Sight Daisy Chain
Applies to Android or USB setups
Mic Pod/Mic Pod Hub connects to second Sight
Requires CollabOS 1.15 or later











CAT 
 USB 
 HDMI 
 MIC 















RALLY BAR HUDDLE IN ANDROID MODE

[Table of Contents](#)






CAT ■
 USB ■
 HDMI ■



Rally Bar Huddle
Android Mode: Default configuration



CAT ■
 USB ■
 HDMI ■




Rally Bar Huddle
Android Mode: Temporary switch to USB mode

RALLY BAR HUDDLE IN BYOD MODE

[Table of Contents](#)





CAT ■
 USB ■
 HDMI ■




Rally Bar Huddle
BYOD Mode: Default configuration

RALLY BAR HUDDLE IN PC MODE

[Table of Contents](#)





CAT ■
 USB ■
 HDMI ■




Rally Bar Huddle
PC Mode: Default configuration

MEETUP 2

[Table of Contents](#)






CAT ■
 USB ■
 HDMI ■

logi


MeetUp 2
PC Mode: Dedicated PC configuration



CAT ■
USB ■
HDMI ■




MeetUp 2
PC Mode: BYOD configuration HDMI + USB



CAT
USB
HDMI




MeetUp 2
PC Mode: BYOD configuration w/ DP Alt Mode
Requires a USB Cable that supports DP Alt Mode




EXTEND

[Table of Contents](#)








CAT ■
 USB ■
 HDMI ■




MeetUp 2 and other USB cameras
 BYOD Mode: with Extend



CAT
USB
HDMI




BYOD with Touchback
Shown with MeetUp 2
Laptop BYOD





CAT ■
USB ■
HDMI ■

logi







Power Delivery
In all configurations, a user-supplied laptop power supply can be connected to provide laptop power delivery



Manual update option 1
via Sync App



Manual update option 2
via Sync App



Update via Sync Portal (Sync will update the bar and the bar will update Extend). This is the default FW update method when Extend is connected to Rally Bar, Rally Bar Mini and Rally Bar Huddle.

CAT 
USB 

logi


Firmware updating options
Extra wires/connections removed for clarity



RALLY BOARD 65

[Table of Contents](#)




CAT 
 Power 






Power ■



CAT ■
USB ■

logi

Rally Board 65 with Tap
Android Mode




CAT
USB
HDMI


logi

Rally Board 65 and Tap with HDMI ingest
Android Mode

CAT 
 USB 
 HDMI 



**Rally Board 65 and Tap with External USB Camera
Android Mode**




CAT ■
 USB ■

logi

Rally Board 65 with Logi Active USB Cable
 BYOD Mode
 Supports DisplayPort Alt Mode

CAT 
 USB 
 HDMI 




**Rally Board 65 with Extend
 BYOD Mode
 Touchback support**

RALLY CAMERA STREAMLINE KIT


[Table of Contents](#)






CAT ■
USB ■

Support for this configuration
is coming soon






CAT
USB
HDMI

logi

RoomMate and MeetUp with Rally Camera Streamline Kit
Android Mode with Zoom Room
Requires CollabOS 1.14 or later



Support for this configuration
is coming soon

RoomMate and 2x Rally Camera Streamline Kit
Android Mode with Zoom Room
Requires CollabOS 1.14 or later

Please see <https://hub.sync.logitech.com/> for more information

LACK OF WARRANTY: THE USER ACKNOWLEDGES AND EXPRESSLY AGREES THAT IT USES THESE WIRING DIAGRAMS AT ITS OWN RISK AND THAT IT IS ABLE TO ASSUME THE ENTIRE RISK AS REGARDS THE SATISFACTORY CHARACTER OF THE QUALITY PERFORMANCE, AND ACCURACY OF THE DATA MADE BY THE WIRING DIAGRAMS TO THE EXTENT PERMITTED BY APPLICABLE LAW. THE WIRING DIAGRAMS ARE PROVIDED "AS IS" AND WITH ANY AND ALL IMPERFECTIONS AND WITHOUT WARRANTY OF ANY KIND AND LOGITECH EXCLUDES ALL WARRANTIES AND CONDITIONS REGARDING THE WIRING DIAGRAMS, WHETHER EXPRESSED OR IMPLIED AND PROVIDED BY LAW, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES AND/OR WARRANTIES OF SALE AND SATISFACTORY QUALITY AND SUITABILITY FOR A PARTICULAR PURPOSE AND ACCURACY. LOGITECH DOES NOT GUARANTEE THE USE WITHOUT INCIDENT OF THE WIRING DIAGRAMS. IT DOES NOT GUARANTEE THAT THE DRAWINGS CONTAINED IN THE WIRING DIAGRAM WILL MEET THE CUSTOMERS REQUIREMENTS. DID YOU REALLY READ THROUGH THIS WHOLE THING? TO BE HONEST, WE Doubted THAT ANYONE WOULD READ IT'S KIND OF BORING. I MEAN, WE TRIED OUR BEST TO MAKE THESE ACCURATE AND CERTAINLY HOPE ALL DOES WELL WITH THEM, AND REALLY NOT JUST WITH YOUR WIRING. WE HOPE THINGS IN GENERAL, GO WELL FOR YOU. NO ENGINEERS WERE INVOLVED IN THE MAKING OF THIS DOCUMENT ALTHOUGH, GUESS WHAT? SOME OF THEM PROBABLY SHOULD HAVE BEEN.